



ASK YOUR DENTIST ABOUT

# GENERAL ANESTHESIA



AMERICAN ACADEMY OF PEDIATRIC DENTISTRY



### **What is general anesthesia?**

General anesthesia is a controlled state of unconsciousness that eliminates awareness, movement and discomfort during dental treatment. A physician or dentist with specialized training can use various medications to provide general anesthesia for patients receiving dental care.

# **GENERAL**



## **Who should receive general anesthesia for dental treatment?**

General anesthesia may be indicated for children with extensive dental needs who are extremely uncooperative, fearful or anxious or for the very young who do not understand how to cope in a cooperative fashion. General anesthesia also can be helpful for children requiring significant surgical procedures or patients having special health care needs.

# **ANESTHESIA**

## **Is general anesthesia safe?**

Although there is some risk associated with general anesthesia, it can be used safely and effectively when administered by an appropriately-trained individual in an appropriately-equipped facility. Precautions are taken to protect your child during general anesthesia; personnel who are trained to manage complications will monitor your child closely. Your pediatric dentist will discuss the benefits and risks of general anesthesia and why it is recommended for your child.

## **What special considerations are associated with the general anesthesia appointment?**

A physical evaluation is required prior to general anesthesia for dental care. This physical assessment provides information to ensure the safety of your child during the general anesthesia procedure. Your pediatric dentist or general anesthesia provider will advise you about evaluation appointments that are required.

Parents are instructed to report to the pediatric dentist any illness that occurs prior to the general anesthesia appointment. It may be necessary to reschedule the appointment. It is very important to follow instructions regarding fasting from fluids and foods prior to the appointment.

Your child will be discharged when stable, alert, and ready to depart. Patients often are tired following general anesthesia. You will be instructed to let the child rest at home with minimal activity until the next day. Post-operative dietary recommendations also will be given.

## **The American Academy of Pediatric Dentistry (AAPD)**

Founded in 1947, the AAPD is a not-for-profit membership association representing the specialty of pediatric dentistry. The AAPD's 7,800 members are primary oral health care providers who offer comprehensive specialty treatment for millions of infants, children, adolescents and individuals with special health care needs. The AAPD also represents general dentists who treat a significant number of children in their practices. As advocates for children's oral health, the AAPD develops and promotes evidence-based policies and guidelines, fosters research, contributes to scholarly work concerning pediatric oral health, and educates health care providers, policymakers and the public on ways to improve children's oral health. For further information, please visit the AAPD Web site at [www.aapd.org](http://www.aapd.org).

### **American Academy of Pediatric Dentistry**

211 East Chicago Avenue, Suite 1700  
Chicago, Illinois 60611  
(312) 337-2169  
[aapdinfo@aapd.org](mailto:aapdinfo@aapd.org)  
[www.aapd.org](http://www.aapd.org)



©2011 American Academy of Pediatric Dentistry  
All rights reserved.